



JOIN FASTENERS CATALOG

PREMIUM-QUALITY, ONE-STOP BUY, 18-YEAR SERVICE
JOIN us Now at www.jjbfasteners.com | Jiaxing Join Fasteners Co.,Ltd. | sales@jjbfasteners.com

Since **2007**

Founded in Jiaxing

3

Three main factories covering

200 Acres

Supply our customers One-Stop Buy



COMPANY PROFILE

ABOUT JOIN FASTENERS

ABOUT JOIN FASTENERS

Founded in 2007, JOIN Fasteners has grown up into a leading player in the fastener industry. We're holding three main factories covering an area around 200 acres, to supply our customers One-Stop Buy, Premium Quality and Multi-grade steel screws, bolts, nuts, washers, thread bars and so on.


Our products are widely used in architectural construction, bridges, railway, oil-pipeline, machinery equipment, furniture, ship building, and exported to the global markets South & North America, Europe, Australia, Africa, Southeast Asia, Mideast, etc.

The factories are located in Jiaxing of Zhejiang province, southeast of China, nears to Shanghai and Ningbo port, providing a convenient-multimodal-low cost transport.

We advocate low-carbon environmental protection and win-win cooperation.



DEVELOPMENT HISTORY



QUALITY WARRANTY

We stand behind our products. All products are manufactured to right specification and high quality standard. Any items found defective or in shortage , an immediate investigation will be conducted and corrective action report will be issued. Claims and returns are given a nice care here.

CUSTOMER SERVICE

You can always rely on our team for a premium-quality, competitive pricing, on-time delivery, one-stop buy business partnership. We have over 18 years experience in exporting various kinds of carbon steel, stainless steel, Bi-Metal fasteners. Dial number 0086 573 83772218 or email to sales@jjbfasteners.com, your request will be promptly replied.

QUALITY ASSURANCE

We rigidly carry out quality control to each step of production:

BUSINESS TERMS

Price term: FOB,CIF,CFR,EXW,DDP,DDU. Lead time: Normal 45-60 days.Packing way: Packing for warehouse(bulk in master carton, small boxes packing), DIY packing for store(tubs,cards, kits, pouches,etc.). Payment terms: TT, LC, we offer our close clients flexible payment terms and financial solution.



JOIN FASTENER PROFILE

ABOUT JOIN FASTENERS

WORKSHOP



PACKING AND LOGISTICS



DIY packing:

Screw kit, Tub, Plastic box, P.P. box, Pvc Jar, Pouch, Blister, Polybag



JOIN FASTENERS GROUP

JOIN FASTENERS

Founded in 2007, trading all kinds of industrial fasteners, has over 18 years experience in exporting the products to all over the global markets.

ZHONGXUAN INDUSTRIAL

Founded in 2019, specialize in high quality standard bolts and threaded rods. It has over 8000 tons month production capacity.

CENZE

Founded in 2008, mainly manufacture all kinds of carbon steel and stainless steel screws. DIY packing warehouse is in place. It has good market share for european countries.

CENLON

Founded in 2012, mainly produce carbon steel and SS nuts and washers.



SCREW PRODUCTS — Page 7-14

- Self drilling Screws
- Sheet Metal Screws
- Drywall Screws
- Concrete Screws
- Thread cutting Screws
- Stainless Steel Screws

BOLT PRODUCTS — Page 15-18

- Hex Cap Screws and Bolts
- Structural Bolts
- Socket Cap Screws
- Carriage Bolts
- Plow Bolts
- Hex Lag Screws
- Hex Flange Bolts
- Timber Bolts
- Sems Bolts

NUT PRODUCTS — Page 19-21

- Hex Nuts
- Heavy Hex Nuts
- Nylon insert Locknuts
- Stainless Steel Nuts
- Other Nuts

WASHER PRODUCTS — Page 22

- Flat Round Washer
- Spring Lock Washer
- Other Washers

THREAD ROD PRODUCTS — Page 23

- Thread Rod
- Stud Bolt

NEW PRODUCTS — Page 23

ANCHOR PRODUCTS — Page 24

- Sleeve Anchor
- Expansion Anchor
- Drop In Anchor
- Wedge Anchor
- Nylon Plug Anchor
- Zinc Alloy Anchor

TECHNICAL INFORMATION

ABOUT JOIN FASTENERS



Coating

BLACK OXIDE	ZINC CLEAR	DACROMET	BRASS/COPPER
BLACK PHOSPHATE	YELLOW ZINC	RUSPERT	TIN PLATED
BLACK ZINC	WHITE ZINC	GEOMET	NICKEL PLATED

Drive



PHILLIPS



SLOTTED



SQUARE



COMBO



SIX LOBE



POZI

Head



FLAT



FLAT UNDERCUT



OVAL



OVAL UNDERCUT



ROUND



FILLISTER



PAN




WAFER




BINDING



BINDING UNDERCUT



TRUSS



ROUND WASHER



TRIMMED HEXAGON



INDENTED HEXAGON



INDENTED SQUARE



SQUARE

Point




TYPE AB



TYPE A




TYPE B



TYPE C




TYPE F



TYPE BP




TYPE 17




TYPE 23




WING POINT



SPOON POINT



NEEDLE POINT



DIAMOND




TYPE U



TYPE 25



TEKS POINT



TYPE BF



TYPE 1




DOG POINT



Type A point: A thread forming screw for use in thin metal .015 to .050 thick. Used with drilled, punched or nested holes in sheet metal, resin impregnated plywood, and combinations of material.

Type AB point: A thread forming screw combining the locating point of Type A with thread size and pitch of Type B. Normal limitations of type B apply.



Type B point: A thread forming screw for use in heavier metal .050 to .200 thick. Larger root diameter with finer thread pitch for light and heavy sheet metal non-ferrous castings, plastics, impregnated plywood, combinations of materials, and other materials.

Type BP Point: Same as Type B but has a cone point for use where holes are slightly misaligned.



Decking Screws: Exterior screw for applications including decks, treated wood, arbors, fences and other applications that require a high degree of corrosion resistant.

Decking Screws 17: The addition of the type 17 point help the screw penetrate quickly in some of the hardest woods.



Partial Board Screws: Made with asymmetrical threads that resists slippage and pull out. These superior holding power screws offer fast assembly in most particle board and wood applications. These screws are available in coarse and fine threads.

SELF DRILLING SCREWS

ABOUT JOIN FASTENERS



● HEX WASHER SDS W/EPDM WASHER



● PAINTED HEX WASHER SDS W/EPDM WASHER



● HEX WASHER SDS W/NYLON WASHER



● DIN7504K HEX WASHER SDS



● DIN7504N PHILLIPS PAN SDS



● DIN7504P PHILLIPS FLAT SDS

Attributes

Standard	Imperial(inch)& Metric(mm)	
Material	Carbon Steel C1022A, C10B21	
Drive	Unslotted, Slotted, Phillips, Square, Combo	
Head	Hex Washer, Pan, Flat, Wafer, Bugle, K-lath	
Diameter	Inch	Mm
	4#	2.9
	5#	3.2
	6#	3.5
	7#	3.9
	8#	4.2
	10#	4.8
	12#	5.5
	14#/1/4	6.35
Finish	Black Phosphated, Zinc clear, Ruspert	
Grade	Case Hardened	
Type	Self-Drilling Screw	





● PHILLIPS WAFER SDS



● BI-METAL SDS



● PHILLIPS FLAT SDS W/WINGS



● K-LATH PHIL MODIFIED TRUSS SDS



● PHIL PAN FRAMING SCREW SDS



● PHILLIPS BUGLE HEAD SDS

Applications

Self-drilling screw is a case hardened in need of drilling and tapping into various materials.

It can be used to attach wood to metal, or metal to metal.

It offers quick transition from drilling to tapping with a lower installation torque.

It reduces labor and tooling costs, eliminates taps and drill bits economically.


The drill point is designed to efficiently remove material and precisely size the hole for the thread.

The length of the drill point determines the metal thickness that can be drilled.



SHEET METAL SCREWS


ABOUT JOIN FASTENERS



● SLOTTED HEX WASHER SMS TYPE AB



● HWH SMS TYPE A W/ WASHER



● PHILLIPS FLAT HEAD SMS TYPE AB



● PHILLIPS OVAL HEAD SMS TYPE AB



● STAR DRIVE TRUSS HEAD SMS TYPE AB



● PHILLIPS PAN HEAD SMS TYPE AB



● DIN7981 PHIL PAN SELF TAPPING SCREW



● DIN7982 PHIL FLAT SELF TAPPING SCREW


SMS Applications

Sheet Metal Screw offers a sharp point to engage in material faster, drills with less effort and have safer installation.

They are use in thin metals 0.015-0.050 thick. Used with drilled, punched or nested holes in sheet metal, resin impregnated plywood, asbestos combinations among others.

Drywall Screws

ABOUT JOIN FASTENERS



● PHILLIPS BUGLE DWS COARSE THREAD



● PHILLIPS BUGLE DWS FINE THREAD



● POZI CSK FLAT CHIPBOARD SCREW



● SQ PHIL FLAT W/NIBS DWS COARSE




● PHIL PAN FRAMING SCREW SHARP



● K-LATH PHIL MODIFIED TRUSS SCREW

DWS Specification

Dimensions	Standard
Material	1018 or 1022 Carbon Steel
Mechanical	Case Hardness: 450-720 HV0.3 Case Depth: 0.004" Minimum
Finish	Phosphate 48 Hours no Red Rust



● PARTICAL BOARD SCREW PH FL W/NIBS

PBS Specification

Dimensions	Standard
Material	1018 or 1022 Carbon Steel
Hardness	Surface: HRC 45-61 Depth of Hardness: 0.004" Minimum Core: HRC 21-45
Finish	Phosphate 48 Hours no Red Rust




● PARTICAL BOARD SCREW PH BUGLE

Thread cutting Screws

ABOUT JOIN FASTENERS



● TORX CSK TIMBER SCREW TYPE 17



● TORX WAFER TIMBER SCREW TYPE 17



● STAR FL FLOORBOARD SCREW UNC TYPE F



● Phillips Pan Thread Cutting Screws
UNC Type 23



● HEX STRUCTURAL SCREW TYPE 17



● Slotted Hex Washer Thread Cutting
Screws UNC Type 23

Concrete Screws

ABOUT JOIN FASTENERS



● CONCRETE SCREW



● Slotted Hex Washer Concrete Screws
Hi-Low Thread Diamond Point



● Phillips Wafer Head w/Nibs
Cement Board SDS



● Phillips Flat HD Concrete Screws Hi-Low
Thread Diamond Point

Stainless Steel Screws

ABOUT JOIN FASTENERS



● SS WAFER TIMBER WOOD SCREW T-17



● SS CSK TIMBER WOOD SCREW TYPE 17




● SS Terrace Screws TX Flat CSK Trim Head w/Nibs Type 17




● SS PHILLIPS BUGLE DECK SCREW TYPE 17



● SS CSK CHIPBOARD SCREW



● SS PAN CHIPBOARD SCREW



● SS HEX FLANGE TAPPING SCREW w/EPDM



● SS PHILLIPS K-LATH TAPPING SCREW



● SS PHILLIPS PAN HEAD SDS



● SS HEX WASHER SDS W/NYLON WASHER



● SS SQ PH COMB PAN MACHINE SCREW



● SS SQ PAN HEAD SDS

HOT FORGED BOLT FLOW CHART

ABOUT JOIN FASTENERS





BOLT

ABOUT JOIN FASTENERS



● HEX CAP SCREW/HEX BOLT

Range

Hex Cap Screws
DIN931/DIN933
DIN960/DIN961
A307 A Hex Tap Bolt
Grade 5 Hex Tap Bolt
A307 A Hex Bolt
A307 B Hv Hex Bolt
A193 B7 Hv Hex Bolt
A320 L7 Hex Bolt
B7/L7 DUAL Hex Bolt



● SOCKET CAP SCREW

Range

DIN912
ISO4762
JIS B 1176
ASTM A574
BS2470



● CARRIAGE BOLT/PLOW BOLT/HEX LAG SCREW

Range


DIN603 Carriage Bolts
ASME B18.9 Carriage Bolts
DIN608 Flat Square Neck Bolts
ASME B18.9 Plow Bolts
DIN571 Hex Lag Screws



● STRUCTURAL BOLT

Range

A325 Type 1
A325 w/A563 & F436
A490 Type 1
DIN6914 Grade 10.9
DIN6914+DIN6915+DIN6916



● HEX FLANGE BOLT/SEMS BOLT

Range

DIN6921
ISO4162
JIS B 1189
DIN933 SEMS BOLT
Phillips DIN933 SEMS Bolt



● TIMBER BOLT


Range

Timber Bolts Flat Head with
Fins under head A307 Grade
A with Nut and Washer Plain


Timber Bolts Domed Head
w/Fins under head A307
Grade A HDG or PLAIN

NUT


ABOUT JOIN FASTENERS




● DIN934 HEX NUT/ANSI B 18.2.2




● DIN439 HEX THIN NUT UNCHAMFERED



● DIN936 HEX THIN NUT CHAMFERED




● ISO4032 HEX NUT GRADE A AND B



● ISO4034 HEX NUT GRADE C



● ISO4035 HEX THIN NUT GRADE A AND B



● DIN6915 HV HEAVY HEX NUT



● ASTM A194 HEAVY HEX NUT GRADE 2H



● ASTM A563 HEAVY HEX NUT GRADE DH




● SS HEX NUT




● SS HEX THIN JAM NUT




● SS HEX FLANGE NUT



● DIN985 NYLON INSERT NUT



● DIN982 NYLON INSERT NUT HIGH TYPE



● DIN980V All-metal Pre-vailing Torque NUT



● DIN6923 HEX FLANGE NUT SERRATION




● DIN6926 HEX FLANGE NYLON INSERT NUT



● DIN6927 ALL-METAL HEX FLANGE NUT



● SPRING NUT



● DIN557 SQUARE NUT



● DIN6334 HEX COUPLING NUT



● DIN315 ROUND WING NUT



● DIN1587 HEX DOMED CAP NUT



● T-NUT

NUT

ABOUT JOIN FASTENERS



● SS CHANNEL NUT



● SS SPRING NUT




● SS WHEEL NUT



● DIN929 HEX WELD NUT



● DIN935 CASTLE NUT



● DIN7967 SELF LOCKING COUNTER NUT



● HEX DOMED NYLON INSERT CAP NUT



● DIN562 SQUARE THIN NUT



● HEX HIGH NUT



● RIVET NUT



● WHEEL NUT




● BARREL NUT

WASHER

ABOUT JOIN FASTENERS



● DIN125 A FLAT WASHER



● DIN9021 LARGE SIZE WASHER



● DIN7989 PLAIN WASHER



● USS/SAE FLAT WASHER



● EPDM BONDED WASHER



● DIN436 SQUARE WASHER



● DIN127B SPRING LOCK WASHER



● DIN25201 Twin-Lock Washer Dacromet



● DIN434 SQUARE TAPER WASHER



● DIN6916 HV ROUND WASHER



● F436 HV FLAT WASHER



● EXTERNAL RETAINING RING

ROD & NEW

ABOUT JOIN FASTENERS



● ASTM A193 B7 THREAD ROD



● DIN975/976 THREADED ROD



● STUD BOLT



● U-BOLT



● HOSE CLAMP




● L-BOLT



● BRACKET HANGER SET BOLT FOR SOLAR



● ROPE CLIPS



● COTTER PIN



● SOCKET SET SCREW



● PALLET AND DOOR HINGES



● DWT Diamond Wires Cutting

ANCHOR

ABOUT JOIN FASTENERS



● SLEEVE ANCHOR WITH EYE HOOK



● SLEEVE ANCHOR WITH HOOK



● SLEEVE ANCHOR WITH WASHER



● SLEEVE ANCHOR W/NUT AND WASHER



● 4 PCS HEAVY DUTY SHIELD ANCHOR



● CEILING ANCHOR



● DROP IN ANCHOR



● WEDGE ANCHOR



● METAL FRAME ANCHOR





● ZINC ALLOY EASY DRIVE ANCHOR



● NYLON PLUG ANCHOR WITH SCREW



● NYLON HAMMER DRIVE ANCHOR



OUR WORKING PLACE

ABOUT JOIN FASTENERS

JOIN us win the global market
and make a better world!




Green,
low-carbon,
environmental protection
and peace





-  0086 573 83772218
-  0086 573 83772216
-  13372313809
-  sales@jjbfasteners.com
-  www.jjbfasteners.com
-  bob-chen2

 ZHIFU CENTRE BLDG.
#15-1304,1305, XIUZHOU DISTRICT, JIAXING,
ZHEJIANG, CHINA 314011

JOIN US
WIN THE GLOBAL MARKET
MAKE A BETTER WORLD

